

CONVOLUTION OF FUNCTIONS WITH NEGATIVE
COEFFICIENTS

TÜNDE JAKAB

MSC 2000. 30C45, 30C50, 30C55.

Key words. Analytic functions, convolution, Hadamard product.

REFERENCES

- [1] AOUF, M.K. and SRIVASTAVA, H.M., *Some families of starlike functions with negative coefficients*, J. Math. Anal. and Appl., **203** (1996), 762–790.
- [2] CHOI, J.H., KIM, Y.C. and OWA, S., *Generalizations of Hadamard products of functions with negative coefficients*, J. Math. Anal. and Appl. **199** (1996), 495–501.
- [3] JAKAB, T., *Generalizations of Hadamard products of univalent functions*, Mathematica (Cluj), to appear.
- [4] SĂLĂGEAN, G.Ș.T., *Subclasses of univalent functions*, in “Complex Analysis: Fifth Romanian-Finnish Seminar”, Part I (Bucharest, 1981), pp. 362–372, Lecture Notes in Mathematics, Vol. 1013, Springer-Verlag, Berlin, New York, 1983.

Received May 10, 2000

*Faculty of Mathematics and Computer Science
“Babeş-Bolyai” University
Str. M. Kogălniceanu 1
RO-400084 Cluj-Napoca, Romania*