

A NOTE ON NUMERICAL RADIUS
AND THE KREĪN-LIN INEQUALITY

SILVESTRU SEVER DRAGOMIR

Abstract. In this note we show that the Kreĭn-Lin triangle inequality can be naturally applied to obtain an elegant reverse for a classical numerical radius power inequality for bounded linear operators on complex Hilbert spaces, due to C. Pearcy.

MSC 2010. 47A63.

Key words. Triangle inequality, operator norm, numerical radius.

REFERENCES

- [1] S.S. Dragomir, *Some Grüss type inequalities in inner product spaces*, JIPAM, **4** (2003), 1–10.
- [2] S.S. Dragomir, *Inequalities for the numerical radius of linear operators in Hilbert spaces*, Springer Briefs in Mathematics, Springer, Cham, 2013.
- [3] K.E. Gustafson and D.K.M. Rao, *Numerical range*, Springer-Verlag, New York, 1997.
- [4] P.R. Halmos, *A Hilbert space problem book* (second edition), Springer-Verlag, New York, 1982.
- [5] M.K. Kreĭn, *Angular localization of the spectrum of a multiplicative integral in a Hilbert space*, Funct. Anal. Appl., **3** (1969), 89–90.
- [6] M. Lin, *Remarks on Kreĭn's inequality*, Math. Intelligencer, **34** (2012), 3–4.
- [7] C. Pearcy, *An elementary proof of the power inequality for the numerical radius*, Michigan Math. J., **13** (1966), 289–291.

Received March 13, 2018

Accepted May 22, 2018

Victoria University
Mathematics, College of Engineering & Science
PO Box 14428
Melbourne City, MC 8001, Australia
E-mail: sever.dragomir@vu.edu.au

The author thanks the referee for his helpful comments and suggestions.

DOI: 10.24193/mathcluj.2018.2.06