

ON THE RATE OF CONVERGENCE OF A NEW q -SZÁSZ-MIRAKJAN OPERATOR

Cristina Radu¹, Saddika Tarabie^{*2},

Andreea Veșteleanu³

^{1,3} *Department of Mathematics, Faculty of Mathematics and Computer Science, Babeş-Bolyai University, Cluj-Napoca, Romania*

² *Tishrin University, Latakia, Syria*

[rcristina@math.ubbcluj.ro, sadikatorbey@yahoo.com,
andreeav@math.ubbcluj.ro]

2000 Mathematics Subject Classification. 41A36, 41A25.

Keywords and phrases. q -integers, linear positive operator, Bohman-Korovkin theorem, moduli of smoothness, rate of convergence.

In the present paper we introduce a new q -generalization of Szász-Mirakjan operators and we investigate their approximation properties. By using a weighted modulus of smoothness, we give local and global estimations for error of approximation.

REFERENCES

- [1] A. Aral, *A generalization of Szász-Mirakjan operators based on q -integers*, Math. Comput. Model., 47 (2008), pp. 1052-1062.
- [2] A. Lupaş, *A q -analogue of the Bernstein operator*, Seminar on Numerical and Statistical Calculus, Univ. of Cluj-Napoca, 9 (1987), pp. 85-92.
- [3] C. Radu, *On statistical approximation of a general class of positive linear operators extended in q -calculus*, Appl. Math. Comput., 215 (2009), pp. 2317-2325.