ON FINITE GENERATION OF HOCHSCHILD COHOMOLOGY ALGEBRAS OF SOME FULLY GROUP GRADED ALGEBRAS

CONSTANTIN COSMIN TODEA

Abstract. In this paper we study the finite generation problem for the Hochschild cohomology algebras of some fully group graded algebras using Grothendieck spectral sequences. Some minimal examples for which we can apply our results are given.

MSC 2010. 16E40, 16SXX.

Key words. Spectral sequence, group graded algebra, Hochschild cohomology.

REFERENCES

- BENSON, D.J., Representations and Cohomology I, Cambridge University Press, Cambridge, 1991.
- [2] BENSON, D.J., Representations and Cohomology II, Cambridge University Press, Cambridge, 1991.
- [3] HILTON, P., STAMBACH, U., A Course in Homological Algebra, Second Edition, GTM4 Springer, 1997.
- [4] MARCUS, A., Homology of fully graded algebras. Morita and derived equivalences, J. Pure Appl. Algebra, 133 (1998), 209–218.
- [5] NĂSTĂSESCU, C., VAN OYSTAEYEN, F., Methods of Graded Rings, Springer-Verlag:Berlin, 2004.
- [6] JAIN, S., Flat and FP-injectivity, Proc. American Math. Soc. 41 (1973) 437-442.
- [7] ŞTEFAN, D., Hochschild cohomology of Hopf Galois extension, J. Pure Appl. Algebra, 103 (1995), 221–233.
- [8] WEIBEL, C., An Introduction to Homological Algebra, Cambridge University Press, 1994.
- [9] WITHERSPOON, S. J., Products in Hochschild cohomology and Grothendieck rings of group crossed product, Adv. Math., 185 (2007), 136–158.

This work was possible with the financial support of the Sectoral Operational Program for Human Resources Development 2007-2013, co-financed by the European Social Fund, within the project POSDRU 89/1.5/S/60189 with the title "Postdoctoral Programs for Sustainable Development in a Knowledge Based Society".