SOME REMARKS ON UNIVERSAL COVERS AND GROUPS

RENATA GRIMALDI and CORRADO TANASI

Abstract. We give a quick review of problems concerning the topological behavior of contractible covering spaces, from the point of view of the topology at infinity. In particular, we briefly describe the evolution of the notion of the simple connectivity at infinity, from low-dimensional topology to the asymptotic topology of discrete groups, also highlighting the work done by V. Poénaru on these topics.

MSC 2010. 57-02, 57M10, 20-02, 20F69.

Key words. Universal covering spaces, simple connectivity at infinity, end-topology, discrete groups, 3-manifolds.

REFERENCES

- BESSIÈRES, L., BESSON, G., BOILEAU, M., MAILLOT, S. and PORTI, J., Geometrisation of 3-manifolds, EMS Tracts in Mathematics, Volume 13, European Mathematical Society, Zürich, 2010.
- [2] BRICK, S.G., Quasi-isometries and ends of groups, J. Pure Appl. Alg., 86 (1993), 23–33.
- [3] BRICK, S.G. and MIHALIK, M.L., The QSF property for groups and spaces, Math. Zeit., 220 (1995), 207–217.
- [4] DAVIS, M.W., Groups generated by reflections and aspherical manifolds not covered by Euclidian Spaces, Ann. Math., 117 (1983), 293–324.
- [5] EDWARDS, C.H., Open 3-manifolds which are simply connected at infinity, Proc. AMS, 14 (1963), 391–395.
- [6] EPSTEIN, D., CANNON J.W., HOLT D., LEVY S., PATERSON M. and THURSTON W.P., Word processing in groups, Boston, MA etc., Jones and Bartlett Publishers, 1992.
- [7] FREEDMAN, M., The topology of four-dimensional manifolds, Jour. Diff. Geom., 17 (1982), 357–453.
- [8] FUNAR, L. and GADGIL, S., On the geometric simple connectivity of open manifolds, I.M.R.N., 24 (2004), 1193–1248.
- [9] FUNAR, L., LASHERAS, F. and REPOVS, D., Groups which are not properly 3-realizable, Rev. Mat. Iberoam., 28 (2012), 401–414.
- [10] FUNAR, L. and OTERA D.E., A refinement of the simple connectivity at infinity of groups, Arch. der Math. (Basel), 81 (2003), 360–368.
- [11] FUNAR, L. and OTERA, D.E., On the WGSC and QSF tameness conditions for finitely presented groups, Groups, Geometry and Dynamics, 4 (2010), 549–596.
- [12] FUNAR, L., GIANNOUDOVARDI, M. and OTERA, D.E., On groups with linear sci-growth, Fund. Math., 228 (2015), 47–62.
- [13] GEOGHEGAN, R., Topological Methods in Group Theory, Graduate Texts in Mathematics 243, Springer, 2008.

The authors wish to thank V. Poénaru for his constant support, friendship and help during their careers, as well as L. Funar for his suggestions and remarks.

- [14] GEOGHEGAN, R. and MIHALIK, M.L., The fundamental group at infinity, Topology, 35 (1996), 655–669.
- [15] GERSTEN, S.M. and STALLINGS, J.R., Casson's idea about 3-manifolds whose universal cover is ℝ³, Int. Jour. Alg. Comput., 1 (1991), 395–406.
- [16] GLASIER, L.C., Uncountably many contractible open 4-manifolds, Topology, 6 (1967), 37–42.
- [17] GROMOV, M., Asymptotic invariants of infinite groups, Geometric group theory, Vol. 2 (Sussex, 1991), 1–295, London Math. Soc., Lecture Note Ser. 182, Cambridge Univ. Press, Cambridge, 1993.
- [18] JACKSON, B., End invariants of amalgamated free products, J. Pure Appl. Alg., 23 (1982), 243–250.
- [19] JACKSON, B., Ends invariants of group extensions, Topology, 21 (1982), 71–81.
- [20] JOHNSON, F.E., Manifolds of homotopy type $K(\pi, 1)$. I, Proc. of the Cambridge Math. Phil. Soc., **70** (1971), 387–393.
- [21] JOHNSON, F.E., Manifolds of homotopy type $K(\pi, 1)$. II, Proc. of the Cambridge Math. Phil. Soc., **75** (1974), 165–173.
- [22] LUCK, W., Aspherical manifolds, Bulletin of the Manifold Atlas (2012), 1–17.
- [23] OTERA, D.E., On the simple connectivity of groups, Boll. U.M.I., 6-B (2003), 739–748.
- [24] OTERA, D.E., Some remarks on the ends of groups, Acta Univ. Apul., 15 (2008), 133– 146. Proceedings of the I.C.T.A.M.I. 2007, Alba Iulia (Romania), 2007.
- [25] OTERA, D.E., A topological property for groups, Contemporary geometry and topology and related topics, 227–236. Proceedings of the 8th International Workshop on Differential Geometry and its Applications, Cluj-Napoca, Romania, August 19–25, 2005. Cluj University Press, 2008.
- [26] OTERA, D.E., Topological tameness conditions of groups: Results and developments, preprint.
- [27] OTERA, D.E. and POÉNARU, V., "Easy" Representations and the QSF property for groups, Bull. Belgian Math. Soc. "Simon Stevin", 19 (2012), 385–398.
- [28] OTERA, D.E. and POÉNARU, V., Tame combings and easy groups, preprint.
- [29] OTERA, D.E., POÉNARU, V. and TANASI, C., On Geometric Simple Connectivity, Bulletin Mathématique de la Société des Sciences Mathématiques de Roumanie. Nouvelle Série, Tome 53 (101) (2010), 157–176.
- [30] PERELMAN, G., The entropy formula for the Ricci flow and its geometric applications. ArXiv:math. D6/0303109 (2002).
- [31] PERELMAN, G., Ricci flow with surgery on three-manifolds. ArXiv:math. D6/0303109 (2003).
- [32] PERELMAN, G., Finite extinction time for the solutions of the Ricci flow on certain three-manifolds. ArXiv:math. D6/0307245 (2003).
- [33] POÉNARU, V., Groupes discrets, Lecture Notes in Mathematics, 421, Springer-Verlag, 1974.
- [34] POÉNARU, V., Killing handles of index one stably and π_1^{∞} , Duke Math. J., **63** (1991), 431–447.
- [35] POÉNARU, V., Almost convex groups, Lipschitz combing, and π_1^{∞} for universal covering spaces of closed 3-manifolds, Jour. Diff. Geom., **35** (1992), 103–130.
- [36] V. Poénaru, The collapsible pseudo-spine representation theorem, Topology, 31 (1992), 625–636.
- [37] POÉNARU, V., Geometry "à la Gromov" for the fundamental group of a closed 3manifold M³ and the simple connectivity at infinity of M³, Topology, **33** (1994), 181– 196.
- [38] POÉNARU, V., π₁[∞] and simple homotopy type in dimension 3, Contemporary Math. AMS, 239 (1999), 1–28.

- [39] POÉNARU, V., Discrete symmetry with compact fundamental domain and Geometric simple connectivity, Preprint Univ. Paris-Sud Orsay 2007-16 (2007). ArXiv: 0711.3579.
- [40] POÉNARU, V., Equivariant, locally finite inverse representations with uniformily bounded zipping length, for arbitrary finitely presented groups, Geom. Ded., 167 (2013), 91–121.
- [41] POÉNARU, V. and TANASI, C., Hausdorff combing of groups and π₁[∞] for universal covering spaces of closed 3-manifolds, Ann. Scuola Norm. Sup. Pisa Cl. Sci. (4), 20 (1993), 387–414.
- [42] POÉNARU, V. and TANASI, C., k-weakly almost convex groups and $\pi_1^{\infty} \tilde{M}^3$, Geom. Ded., 48 (1993), 57–81.
- [43] POÉNARU, V. and TANASI, C., Equivariant, Almost-Arborescent representations of open simply-connected 3-manifolds; A finiteness result, Memoirs of the AMS, 800, 88 pp., 2004.
- [44] SIEBENMANN, L.C., On detecting Euclidean space homotopically among topological manifolds, Invent. Math., 6 (1968), 263–268.
- [45] STALLINGS, J.R., The piecewise linear structure of the Euclidean space, Proc. of the Cambridge Math. Phil. Soc., 58 (1962), 481–488.
- [46] STALLINGS, J.R., On torsion-free groups with infinitely many ends, Annals of Math., 88 (1968), 312–334.
- [47] STALLINGS, J.R., Brick's quasi-simple filtrations for groups and 3-manifolds. Geometric group theory, Vol. 1 (Sussex, 1991), 188-203, London Math. Soc. Lecture Note Ser., 181, Cambridge Univ. Press, Cambridge, 1993.
- [48] TANASI, C., Sui gruppi semplicemente connessi all'infinito, Rend. Ist. Mat. Univ. Trieste, 31 (1999), 61–78.
- [49] THURSTON, W.P., Three-dimensional geometry and topology. Vol. 1. Princeton Mathematical Series, 35. Princeton University Press, NJ, 1997.
- [50] WHITEHEAD, J.H.C., A certain open manifold whose group is unity, Quart. Jour. of Math., 6 (1935), 268–279.

Received November 13, 2013 Accepted March 13, 2014 Università Degli Studi di Palermo D.E.I.M. viale delle Scienze, Ed. 9 90128 Palermo, Italy E-mail: renata.grimaldi@unipa.it

Università Degli Studi di Palermo Dipartimento di Matematica e Informatica via Archirafi 34, 90123 Palermo, Italy E-mail: corrado.tanasi@unipa.it