

ON CONNECTED SPACES VIA m -STRUCTURES

AHMAD AL-OMARI and TAKASHI NOIRI

Abstract. In this paper, we introduce and investigate m -separated sets and m -connected sets in a topological space (X, τ) with a minimal structure m_X . As a special case, by setting $m_X = \tau^*$, we obtain properties of $*$ -separated sets and $*_s$ -connected sets.

MSC 2010. 54A05.

Key words. m -structure, m -separated, m -connected, ideal topological space, $*$ -separated, $*_s$ -connected.

REFERENCES

- [1] A. Al-Omari and T. Noiri, *On operators in ideal minimal spaces*, *Mathematica*, **58(81)** (2016), 3–13.
- [2] A. Al-Omari and H. Al-saadi, *A topology via ω -local functions in ideal spaces*, *Mathematica*, **60(83)** (2018), 103–110.
- [3] A. Al-Omari and T. Noiri, *Generalizations of regular and normal spaces*, *Annales Univ. Sci. Budapest.*, **61** (2018), 121–135.
- [4] A. Al-Omari and T. Noiri, *Operators in minimal spaces with hereditary classes*, *Mathematica*, **61(84)** (2019), 101–110.
- [5] A. Al-Omari, H. Al-saadi and T. Noiri, *On extremally disconnected spaces via m -structures*, *Commun. Korean Math. Soc.*, **34, 1**, (2019), 351–359.
- [6] H. Al-saadi and A. Al-Omari, *Some operators in ideal topological spaces*, *Missouri J. Math. Sci.*, **30** (2018), 59–71.
- [7] H. Al-saadi, A. Al-Omari and T. Noiri, *On hyperconnected spaces via m -structures*, *Italian Journal of Pure and Applied Mathematics*, **42** (2019), 290–300.
- [8] M.E. Abd El-Monsef, S.N. El-Deeb and R.A. Mahmoud, *β -open sets and β -continuous mappings*, *Bulletin of the Faculty of Science. Assiut University*, **12** (1983), 77–90.
- [9] D. Andrijević, *Semi-preopen sets*, *Mat. Vesnik*, **38** (1986), 24–32.
- [10] D. Andrijević, *On b -open sets*, *Mat. Vesnik*, **48** (1996), 59–64.
- [11] E. Ekici and T. Noiri, *Connectedness in ideal topological spaces*, *Novi Sad Journal of Mathematics*, **38** (2008), 65–70.
- [12] E. Ekici and T. Noiri, *$*$ -hyperconnected ideal topological spaces*, *An. Ştiinţ. Univ. Al. I. Cuza Iaşi. Mat. (N.S.)*, **58** (2012), 121–129.
- [13] D. Jankovic and T.R. Hamlett, *New topologies from old via ideals*, *Amer. Math. Monthly*, **97** (1990), 295–310.
- [14] N. Levine, *Semi-open sets and semi-continuity in topological spaces*, *Amer. Math. Monthly*, **70** (1963), 36–41.

The authors thank the referee for his helpful comments and suggestions.

- [15] H. Maki, K.C. Rao and A. Nagoor Gani, *On generalizing semi-open and preopen sets*, Pure and Applied Mathematics Journal, **49** (1999), 17–29.
- [16] A.S. Mashhour, M.E. Abd El-Monsef and S.N. El-Deep, *On precontinuous and weak precontinuous mappings*, Proc. Math. Phys. Soc. Egypt, **53** (1982), 47–53.
- [17] O. Njastad, *On some classes of nearly open sets*, Pacific J. Math., **15** (1965), 961–970.
- [18] V. Popa and T. Noiri, *On M -continuous functions*, Anal. Univ. “Dunărea de Jos” Galați, Ser. Mat. Fiz. Mec. Teor., Fasc. II, **18** (2000), 31–41.
- [19] N. Sathiyasundari and V. Renukadevi, *Note on $*$ -connected ideal spaces*, Novi Sad Journal of Mathematics, **42** (2012), 15–20.

Received October 10, 2020
Accepted February 14, 2021

Al al-Bayt University
Faculty of Sciences
Department of Mathematics
P.O. Box 130095, Mafrq 25113, Jordan
E-mail: omarimutah1@yahoo.com
<https://orcid.org/0000-0002-6696-1301>

2949-1 Shiokita-cho
Hinagu, Yatsushiro-shi, Kumamoto-ken
869-5142 Japan
E-mail: t.noiri@nifty.com
<https://orcid.org/0000-0002-0862-5297>